

IDENTIFYING COMPACTION IN THE LANDSCAPE

Sparse growth or barren paths in turf areas are the most common indicators of a soil compaction problem. Water runoff and/or dry spots in turf can also be an indicator.

Different growth rates among trees planted at the same time is common in park settings and can often be linked to compaction in the root zone of certain trees.

Soil compaction can also be identified by exploring an area with a soil probe, shovel or long handled screwdriver. It should be easy to push a probe into moist, uncompacted soil. Probe areas that may be compacted as well as normal areas for comparison.



A brick path installed to hide a recurring compaction trail.

PREVENTING COMPACTION

- Restrict traffic in sensitive or compaction-prone areas. Signs and fences generally do not work and look bad. Use landscape design methods to place vegetative (e.g., shrub rows) or hardscape (e.g., curbing, railing) barriers to direct traffic onto sidewalks and off of soil areas.
- Add a sidewalk in areas with recurring compaction trails. An alternative would be to use a surface treatment such as a mulch layer to improve the look of the path.
- Use sandy soils high in organic matter for high traffic areas.

TREATING COMPACTION

- Subsoil or deep rip using agricultural or other heavy implements in heavily compacted areas, especially after construction and before installation of utility and irrigation systems.
- Add organic matter and till shallow compacted areas to induce structure before replanting.
- Aerate using a hollow tine aerator once or twice a year. Consider spreading a thin layer of organic matter after aerating to backfill the holes created during the process.
- Vertical mulch using an augur to bore 2 to 4-inch diameter holes, 2 to 6-feet deep within the drip line of trees. Backfill the holes with wood chips and slow release fertilizer.
- Mulch around the base of woody perennials.
- Restrict traffic on the area and wait for the soil to recover. With wetting-drying and freezing-thawing cycles, and the activity of soil organisms, compacted soil will gradually reform aggregates. This process may take a full season or more.

Utah State University is committed to providing an environment free from harassment and other forms of illegal discrimination based on race, color, religion, sex, national origin, age (40 and older), disability, and veteran's status. USU's policy also prohibits discrimination on the basis of sexual orientation in employment and academic related practices and decisions.

Utah State University employees and students cannot, because of race, color, religion, sex, national origin, age, disability, or veteran's status, refuse to hire; discharge; promote; demote; terminate; discriminate in compensation; or discriminate regarding terms, privileges, or conditions of employment, against any person other wise qualified. Employees and students also cannot discriminate in the classroom, residence halls, or in on/off campus, USU-sponsored events and activities.

This publication is issued in furtherance of Cooperative Extension work. Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Jack M. Payne, Vice President and Director, Cooperative Extension Service, Utah State University.