

Douglas-fir Type The next most common forest types are those dominated by Douglas-fir (*Pseudotsuga menziesii*) and white fir (*Abies concolor*). Douglas-fir is very common and tends to grow in fairly pure stands, while white fir is more scattered and less common. These mid-elevation species cover more than one million acres. Early pioneers sought out Douglas-fir for building material, sometimes calling it red pine because it is an evergreen with reddish heartwood. There are at least five canyons in Utah named Red Pine. One easy identifier for Douglas-fir is the mouse-tail bracts that stick out from under the cone scales.



Douglas-fir Type

- 1 million acres at 6,000 to 9,000 feet elevation.
- Important timber and recreation resource and provides critical wildlife habitat.
- Refers to sites where Douglas-fir could dominate, but other species may be present, including true firs, spruces, and lodgepole and ponderosa pines.
- Intermediate shade tolerance, so undisturbed Douglas-fir can be replaced by more shade tolerant subalpine fir or Engelmann spruce; fairly common in Utah due to fire suppression.
- Use group selection or shelterwood for reproduction since most associated species need protection to regenerate naturally or as planted seedlings.
- Clearcutting if aspen or lodgepole pine is present will likely regenerate the stand to those species.
- Careful overstory removal can encourage natural regeneration where adequate advanced regeneration is present.
- Clearcutting or overstory removal without adequate advanced regeneration will convert to shade intolerant species or to a poorly stocked stand of shade tolerant species such as subalpine fir.
- Important pests are western spruce budworm, bark beetles, and dwarf mistletoe; to control and improve stand vigor, increase species and age-class diversity.

Spruce-Fir Type Spruce-fir is the fourth most common coniferous forest type in Utah, and is generally found at higher elevations. It occurs as stands of Engelmann spruce (*Picea engelmannii*) mixed with subalpine fir (*Abies lasiocarpa*) and in association with Douglas-fir, white fir, and aspen, as well as various pines. The great majority of spruce found in Utah is Engelmann spruce, while about five percent is blue spruce (*Picea pungens*). Spruce is an important timber species in Utah, valued for its clear, straight grain. Spruce is also used for house logs. A massive spruce beetle epidemic currently is devastating much of Utah's spruce forest.

Spruce-Fir Type

- 3/4 million acres at 8,000 to 10,000 feet elevation.
- Important for wood fiber, though spruce is worth considerably more than fir; wildlife habitat, recreation, and watershed values also important.
- Highest elevation type; dominated by subalpine fir, which is very shade tolerant, and Engelmann spruce, which is slightly less tolerant.
- Other associated species are lodgepole and limber pine, Douglas-fir, and aspen.
- Regeneration after harvest is difficult; group selection and shelterwood methods can be used; protection is needed for seedling survival; planting and protection of advanced regeneration help.
- Stands can be very complex in structure and age distribution; group shelterwood can be used in more uneven-aged stands; openings should be less than two times tree height for good protection.
- Fires are infrequent but important in dry years; windthrow is an important disturbance factor.
- Root disease, bark beetles, and western spruce budworm are significant pests; to control spruce beetle, remove attacked or susceptible trees and treat slash.

Pine Types Several pine forest types exist in Utah, including ponderosa, lodgepole, limber, and bristlecone types. Pines are intolerant of shade and more drought tolerant than many of their associated species.

Ponderosa Pine Ponderosa pine (*Pinus ponderosa*) is the pine of Bryce Canyon National Park, and is found from the Uintas south. Ponderosa is our largest pine, eventually getting an orange-yellow bark that earns it the name yellow pine, as in Yellow Pine Campground on the Uinta National Forest.

Lodgepole Pine Lodgepole pine (*Pinus contorta*) covers nearly a half million acres in Utah, mostly at higher elevations in and north of the Uintas. Lodgepole is relatively short-lived (150 years), but it grows straight and tall on good sites. It is used for lodge poles and fence poles, as well as lumber.



Limber Pine Limber pine (*Pinus flexilis*) tends to occupy the higher ridges in Utah. Although limber pine occupies less than a million acres in Utah, its common name, “white pine,” honors 19 place names in the state.

Bristlecone Pine Bristlecone pine (*Pinus longaeva*) occupies a very small range in Utah, mostly on upper elevation plateaus in southern and western Utah. This species is best known for including the oldest living tree, and perhaps the oldest organism, on Earth.

Oak-Maple Type Gambel oak (*Quercus gambellii*) and canyon or bigtooth maple (*Acer grandidentatum*) woodlands occupy our lower mountain slopes and foothills, and offer outstanding fall color. As urban development expands and more homes are built in these woodlands, their management is increasingly important to prevent fire disasters.



Pine Types

- Total of 1.1 million acres of pines at 7,000 to 10,000 feet elevation, depending on species.
- Ponderosa pine naturally grows in open, park-like stands maintained by frequent fire; fire suppression leads to dense stands; thick bark protects older trunks from fire damage; commercially valuable.
- Lodgepole pine tends to grow in pure stands that regenerate quickly after a fire from seed; some trees have serotinous (closed) cones that open after a fire to release their seeds; commercially valuable.
- Limber pine occupies cold, windy, steep, rocky sites, often near tree line; not commercial; regeneration depends on seed caches made by birds like Clark’s nutcracker; some Utah limber pines are over 2,500 years old.

Oak-Maple Type

- Common native species on lower elevation foothills in Utah, between 5,000 and 7,800 feet.
- Important for birds and big game.
- Although they often grow together, oaks prefer southern aspects while maples prefer northern and eastern aspects.
- Oak is fire adapted; it grows back quickly from root sprouts after a fire kills the tree tops.
- Oak tend to be scrubby small trees less than 30 feet in height, but can reach 60 feet tall.
- Maple tends to have several stems and can reach 50 feet in height.

More Information

For more information on Utah’s forests and woodlands visit the Utah State University Forestry Extension Web site at <http://extension.usu.edu/forestry>.

Utah State University is committed to providing an environment free from harassment and other forms of illegal discrimination based on race, color, religion, sex, national origin, age (40 and older), disability, and veteran’s status. USU’s policy also prohibits discrimination on the basis of sexual orientation in employment and academic related practices and decisions. Utah State University employees and students cannot, because of race, color, religion, sex, national origin, age, disability, or veteran’s status, refuse to hire; discharge; promote; demote; terminate; discriminate in compensation; or discriminate regarding terms, privileges, or conditions of employment, against any person otherwise qualified. Employees and students also cannot discriminate in the classroom, residence halls, or in on/off campus, USU-sponsored events and activities. This publication is issued in furtherance of Cooperative Extension work. Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Jack M. Payne, Vice President and Director, Cooperative Extension Service, Utah State University. Published June 2004.