

# Emerald ash borer, bark beetles, & woodboring pests of ornamental trees

## UTAH STATE UNIVERSITY EXTENSION

### Overview

This workshop will provide detailed information (e.g., identification, biology, control, etc.) on bark beetles and woodboring tree pests, including the exotic and invasive Emerald Ash Borer (EAB; *Agrilus planipennis*). Each workshop participant will be given a bound copy of USU's Invasive Insect Field Guide for Utah and other relevant handouts and materials.

### EAB

Is native to parts of China, Korea, Japan, Taiwan, and small areas of Russia and Mongolia. EAB was first detected in the U.S. in Michigan in 2002. Since arriving to the U.S., EAB has been found in more than 20 mid-western and eastern states, killing tens of millions of ash trees. EAB is considered to be the most destructive forest insects to ever invade the U.S. EAB has not been found in Utah, but was detected in Boulder, Colorado in 2013, and is now on Utah's front door.

### Workshop Locations:

All workshops run from 9:00 am - 12:00 pm

Moab, March 19  
Salt Lake City, April 9  
Vernal, April 16  
Saint George, May 13  
Provo, May 21  
Logan, May 27

### To register for a FREE workshop go to:

[www.utahpests.usu.edu/caps/htm/events-and-workshops](http://www.utahpests.usu.edu/caps/htm/events-and-workshops)

### For more information about EAB visit:

[www.utahpests.usu.edu/caps/htm/invaders](http://www.utahpests.usu.edu/caps/htm/invaders)

### Questions about the workshop?

Call 435-797-2435 or email [ryan.davis@usu.edu](mailto:ryan.davis@usu.edu)

Continuing Education Credits (CEUs) are available!

Funding for these workshops was provided by the United States Department of Agriculture, Utah Department of Agriculture and Food, and Utah State University Extension.



Emerald Ash Borer galleries beneath ash bark.



Emerald Ash Borer adult.