

Utah Altitude Adjustments for Home Canning

04/03/2026



Introduction

Knowing your altitude is critical for canning. Safe home food preservation depends on adjusting processing times and pressures for altitude. Barometric pressure is reduced at high altitudes, affecting the temperature at which water boils (Kingry & Devine, 2024). As elevation increases, water boils at lower temperatures, so without adjustments, foods may be under-processed and unsafe to eat. Utah's diverse geography ranges from just over 2,700 feet in St. George to nearly 10,000 feet in Brian Head, meaning every county and most communities require changes beyond the "sea level" instructions found in many recipes.

This fact sheet provides a county-by-county and town-by-town listing of elevations across Utah, paired with the boilingwater and pressure canner adjustments recommended by the U.S. Department of Agriculture (USDA) and the National Center for Home Food Preservation. By referencing this resource, Extension educators, food preservation instructors, and home canners can quickly identify the correct processing adjustment for their location.

Why Altitude Matters

At higher elevations, the boiling point of water decreases by about 2 °F for every 1,000 feet (Andress & Harrison, 2021). As a result, foods processed in boiling water or under pressure do not reach the same internal temperature they would at lower altitudes. If adjustments are not made, harmful microorganisms such as *Clostridium botulinum* may survive, creating a risk of foodborne illness. *C. botulinum* is responsible for a lifethreatening disease called botulism.

To ensure safety, both processing times for boiling-water canning and pressure levels for pressure canning must be increased to compensate for elevation (National Center for Home Food Preservation, 2021; Kingry & Devine, 2024). Research-based guidelines published in *So Easy to Preserve* (Andress & Harrison, 2021), the *Ball Complete Book of Home Preserving* (Kingry & Devine, 2024), and the *USDA Complete Guide to Home Canning* (2015) provide the tested altitude adjustments referenced in this fact sheet.

All Utah counties have high elevations, so without canning time or pressure adjustments, harmful organisms may survive, and foods may be under-processed and unsafe to eat.

Boiling Water Canner Adjustments

Altitude (feet)	Add to processing time
1,001–3,000	5 minutes
3,001–6,000	10 minutes
6,001–8,000	15 minutes
8,001–10,000	20 minutes

Pressure Canner Adjustments

Altitude (feet)	Dial gauge PSI
0–2,000	11
2,001–4,000	12
4,001–6,000	13
6,001–8,000	14
8,001–10,000	15

Note. Weighted gauge: Always use 15 PSI above 1,000 feet in Utah.

How to Use This Table

1. Find your county and town in the listings. If your exact town is not listed, choose the nearest community with a similar elevation.

2. Note your elevation (in feet) and locate the correct altitude adjustment:
 - a. **Boiling-Water Canner:** Add extra minutes based on your elevation range.
 - b. **Pressure Canner:** Increase PSI according to dial-gauge or weighted-gauge instructions.
3. Apply the adjustment to your USDA or Extension-tested recipe. Do not reduce processing times—altitude adjustments are critical for food safety.

Tip: If you are unsure of your exact elevation, use the official U.S. Geological Survey (USGS) [Elevation Point Query Service](#).

County Elevation Summaries

County	Elevation range (feet)	Water bath canning time adjustment needed (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Beaver	4,967–5,902	10	13	15
Box Elder	4,222–5,974	10	13	15
Cache	4,429–5,020	10	13	15
Carbon	5,413–8,307	15–20	13–15	15
Daggett	6,348–6,371	15	14	15
Davis	4,268–4,698	10	13	15
Duchesne	5,085–7,005	10–15	13–14	15
Emery	4,075–6,253	10–15	13–14	15
Garfield	5,820–8,235	10–20	13–15	15
Grand	4,026–5,138	10	13	15

Iron	5,085–9,800	10–20	13–15	15
Juab	4,337–6,430	10–15	13–14	15
Kane	4,108–8,507	10–20	13–15	15
Millard	4,590–5,315	10	13	15
Morgan	4,879–5,344	10	13	15
Piute	5,863–6,854	10–15	13–14	15
Rich	5,968–6,339	10–15	13–14	15
Salt Lake	4,255–8,560	10–20	13–15	15
San Juan	3,842–7,070	10–15	12–14	15
Sanpete	5,052–5,948	10	13	15
Sevier	5,105–6,919	10–15	13–14	15
Summit	5,337–7,120	10–15	13–14	15
Tooele	4,249–6,496	10–15	13–14	15
Uintah	4,728–6,033	10–15	13–14	15
Utah	4,505–7,447	10–15	13–14	15
Wasatch	5,440–7,979	10–15	13–14	15
Washington	2,700–6,535	5–15	12–14	15
Wayne	4,288–7,241	10–15	13–14	15
Weber	4,219–5,118	10	13	15

Town and City Elevation Summaries

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Beaver	Beaver	5,902	10	13	15
Beaver	Greenville	5,666	10	13	15
Beaver	Milford	4,967	10	13	15
Beaver	Minersville	5,282	10	13	15
Box Elder	Bear River City	4,258	10	13	15
Box Elder	Beaver Dam	4,541	10	13	15
Box Elder	Blue Creek	4,701	10	13	15
Box Elder	Bothwell	4,331	10	13	15
Box Elder	Brigham City	4,436	10	13	15
Box Elder	Cedar Creek	5,161	10	13	15
Box Elder	Clear Creek	5,640	10	13	15
Box Elder	Collinston	4,432	10	13	15
Box Elder	Corinne	4,226	10	13	15
Box Elder	Deweyville	4,337	10	13	15
Box Elder	Elwood	4,298	10	13	15
Box Elder	Etna	5,223	10	13	15
Box Elder	Fielding	4,373	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Box Elder	Garland	4,340	10	13	15
Box Elder	Grouse Creek	5,331	10	13	15
Box Elder	Honeyville	4,298	10	13	15
Box Elder	Howell	4,560	10	13	15
Box Elder	Kelton	4,229	10	13	15
Box Elder	Lakeside	4,222	10	13	15
Box Elder	Lucin	4,478	10	13	15
Box Elder	Lynn	5,948	10	13	15
Box Elder	Mantua	5,200	10	13	15
Box Elder	Park Valley	5,548	10	13	15
Box Elder	Penrose	4,268	10	13	15
Box Elder	Perry	4,367	10	13	15
Box Elder	Plymouth	4,488	10	13	15
Box Elder	Portage	4,367	10	13	15
Box Elder	Riverside	4,363	10	13	15
Box Elder	Rosette	5,686	10	13	15
Box Elder	Snowville	4,547	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Box Elder	South Willard	4,331	10	13	15
Box Elder	Standrod	5,768	10	13	15
Box Elder	Terrace	4,550	10	13	15
Box Elder	Thatcher	4,331	10	13	15
Box Elder	Tremonton	4,324	10	13	15
Box Elder	Willard	4,350	10	13	15
Box Elder	Yost	5,974	10	13	15
Cache	Amalgam	4,439	10	13	15
Cache	Avon	5,020	10	13	15
Cache	Benson	4,429	10	13	15
Cache	Cache Junction	4,449	10	13	15
Cache	Clarkston	4,879	10	13	15
Cache	College Ward	4,495	10	13	15
Cache	Cornish	4,485	10	13	15
Cache	Cove	4,557	10	13	15
Cache	Hyde Park	4,537	10	13	15
Cache	Hyrum	4,698	10	13	15
Cache	Lewiston	4,508	10	13	15
Cache	Logan	4,534	10	13	15
Cache	Mendon	4,495	10	13	15
Cache	Millville	4,616	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Cache	Mt. Sterling	4,810	10	13	15
Cache	Newton	4,534	10	13	15
Cache	Nibley	4,554	10	13	15
Cache	North Logan	4,692	10	13	15
Cache	Paradise	4,902	10	13	15
Cache	Petersboro	4,475	10	13	15
Cache	Providence	4,596	10	13	15
Cache	Richmond	4,610	10	13	15
Cache	River Heights	4,580	10	13	15
Cache	Smithfield	4,603	10	13	15
Cache	Trenton	4,462	10	13	15
Cache	Wellsville	4,547	10	13	15
Cache	Young Ward	4,547	10	13	15
Carbon	Clear Creek	8,307	20	15	15
Carbon	East Carbon	6,296	15	14	15
Carbon	Helper	5,817	10	13	15
Carbon	Kenilworth	6,529	15	14	15
Carbon	Price	5,564	10	13	15
Carbon	Scofield	7,713	15	14	15
Carbon	Sunnyside	6,519	15	14	15
Carbon	Wellington	5,413	10	13	15
Daggett	Dutch John	6,371	15	14	15
Daggett	Manila	6,348	15	14	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Davis	Bountiful	4,373	10	13	15
Davis	Centerville	4,380	10	13	15
Davis	Clearfield	4,465	10	13	15
Davis	Clinton	4,393	10	13	15
Davis	Farmington	4,304	10	13	15
Davis	Fruit Heights	4,698	10	13	15
Davis	Kaysville	4,357	10	13	15
Davis	Layton	4,350	10	13	15
Davis	North Salt Lake	4,337	10	13	15
Davis	South Weber	4,511	10	13	15
Davis	Sunset	4,511	10	13	15
Davis	Syracuse	4,285	10	13	15
Davis	West Bountiful	4,268	10	13	15
Davis	West Point	4,314	10	13	15
Davis	Woods Cross	4,377	10	13	15
Duchesne	Altamont	6,388	15	14	15
Duchesne	Altonah	6,673	15	14	15
Duchesne	Bluebell	6,201	15	14	15
Duchesne	Duchesne	5,518	10	13	15
Duchesne	Fruitland	6,624	15	14	15
Duchesne	Hanna	6,765	15	14	15
Duchesne	Mountain Home	7,005	15	14	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Duchesne	Myton	5,085	10	13	15
Duchesne	Neola	6,020	15	14	15
Duchesne	Roosevelt	5,095	10	13	15
Duchesne	Tabiona	6,522	15	14	15
Duchesne	Talmage	6,834	15	14	15
Duchesne	Upalco	5,758	10	13	15
Emery	Castle Dale	5,676	10	13	15
Emery	Clawson	5,942	10	13	15
Emery	Cleveland	5,722	10	13	15
Emery	Elmo	5,692	10	13	15
Emery	Emery	6,253	15	14	15
Emery	Ferron	5,971	10	13	15
Emery	Green River	4,075	10	13	15
Emery	Huntington	5,787	10	13	15
Emery	Lawrence	5,666	10	13	15
Emery	Moore	6,247	15	14	15
Emery	Orangeville	5,777	10	13	15
Garfield	Antimony	6,450	15	14	15
Garfield	Boulder	6,699	15	14	15
Garfield	Bryce Canyon City	7,664	15	14	15
Garfield	Cannonville	5,886	10	13	15
Garfield	Escalante	5,820	10	13	15
Garfield	Hatch	6,919	15	14	15
Garfield	Henrieville	5,997	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Garfield	Panguitch	6,624	15	14	15
Garfield	Panguitch Lake	8,235	20	15	15
Garfield	Tropic	6,309	15	14	15
Grand	Castle Valley	4,685	10	13	15
Grand	Moab	4,026	10	13	15
Grand	Thompson Springs	5,138	10	13	15
Iron	Beryl	5,154	10	13	15
Iron	Brian Head	9,800	20	15	15
Iron	Cedar City	5,846	10	13	15
Iron	Enoch	5,545	10	13	15
Iron	Hamilton's Fort	5,568	10	13	15
Iron	Kanarrville	5,541	10	13	15
Iron	Lund	5,085	10	13	15
Iron	Modena	5,476	10	13	15
Iron	Newcastle	5,312	10	13	15
Iron	Paragonah	5,879	10	13	15
Iron	Parowan	6,014	15	14	15
Iron	Parowan (mouth of canyon)	5,930	10	13	15
Iron	Summit	5,984	10	13	15
Juab	Callao	4,337	10	13	15
Juab	Eureka	6,430	15	14	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Juab	Levan	5,315	10	13	15
Juab	Mammoth	6,391	15	14	15
Juab	Mills	4,954	10	13	15
Juab	Mona	4,970	10	13	15
Juab	Nephi	5,128	10	13	15
Juab	Partoun	4,800	10	13	15
Juab	Pleasant Valley	4,780	10	13	15
Juab	Rocky Ridge	4,990	10	13	15
Juab	Tintic Junction	5,899	10	13	15
Juab	Trout Creek	4,701	10	13	15
Kane	Alton	7,041	15	14	15
Kane	Big Water	4,108	10	13	15
Kane	Duck Creek Village	8,507	20	15	15
Kane	Glendale	5,777	10	13	15
Kane	Kanab	4,970	10	13	15
Kane	Mount Carmel Junction	5,203	10	13	15
Kane	Orderville	5,449	10	13	15
Millard	Delta	4,639	10	13	15
Millard	Deseret	4,590	10	13	15
Millard	Eskdale	4,984	10	13	15
Millard	Fillmore	5,134	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Millard	Gandy	4,951	10	13	15
Millard	Garrison	5,276	10	13	15
Millard	Hinckley	4,603	10	13	15
Millard	Holden	5,102	10	13	15
Millard	Kanosh	5,020	10	13	15
Millard	Leamington	4,731	10	13	15
Millard	Lynndyl	4,787	10	13	15
Millard	Meadow	4,839	10	13	15
Millard	Oak City	5,111	10	13	15
Millard	Oasis	4,590	10	13	15
Millard	Scipio	5,315	10	13	15
Morgan	Croydon	5,344	10	13	15
Morgan	Morgan	5,069	10	13	15
Morgan	Mountain Green	4,879	10	13	15
Morgan	Peterson	4,885	10	13	15
Morgan	Porterville	5,151	10	13	15
Morgan	Richville	5,115	10	13	15
Morgan	Stoddard	5,023	10	13	15
Piute	Circleville	6,030	15	14	15
Piute	Greenwich	6,854	15	14	15
Piute	Junction	6,030	15	14	15
Piute	Kingston	5,863	10	13	15
Piute	Marysville	5,825	10	13	15
Rich	Garden City	5,968	10	13	15
Rich	Laketown	5,974	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Rich	Randolph	6,283	15	14	15
Rich	Woodruff	6,339	15	14	15
Salt Lake	Alta	8,560	20	15	15
Salt Lake	Bluffdale	4,436	10	13	15
Salt Lake	Copperton	5,500	10	13	15
Salt Lake	Cottonwood Heights	4,823	10	13	15
Salt Lake	Draper	4,505	10	13	15
Salt Lake	Granite	5,131	10	13	15
Salt Lake	Herriman	4,944	10	13	15
Salt Lake	Holladay	4,465	10	13	15
Salt Lake	Kearns	4,531	10	13	15
Salt Lake	Magna	4,278	10	13	15
Salt Lake	Midvale	4,383	10	13	15
Salt Lake	Millcreek	4,285	10	13	15
Salt Lake	Murray	4,301	10	13	15
Salt Lake	Riverton	4,436	10	13	15
Salt Lake	Salt Lake City	4,265	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Salt Lake	Sandy	4,465	10	13	15
Salt Lake	South Jordan	4,439	10	13	15
Salt Lake	South Salt Lake	4,255	10	13	15
Salt Lake	Taylorsville	4,298	10	13	15
Salt Lake	West Jordan	4,377	10	13	15
Salt Lake	West Valley City	4,304	10	13	15
Salt Lake	White City	4,583	10	13	15
San Juan	Blanding	6,017	15	14	15
San Juan	Bluff	4,318	10	13	15
San Juan	La Sal	5,978	10	13	15
San Juan	Mexican Hat	4,245	10	13	15
San Juan	Monticello	6,070	15	14	15
San Juan	Monument Valley	5,564	10	13	15
San Juan	Navajo Mountain	5,886	10	13	15
San Juan	Oljato	4,842	10	13	15
San Juan	Spanish Valley	4,842	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Sanpete	Ephraim	5,560	10	13	15
Sanpete	Fairview	5,948	10	13	15
Sanpete	Fountain Green	5,690	10	13	15
Sanpete	Gunnison	5,121	10	13	15
Sanpete	Manti	5,642	10	13	15
Sanpete	Mayfield	5,502	10	13	15
Sanpete	Moroni	5,525	10	13	15
Sanpete	Mount Pleasant	5,925	10	13	15
Sanpete	Spring City	5,820	10	13	15
Sanpete	Sterling	5,492	10	13	15
Sevier	Aurora	5,138	10	13	15
Sevier	Central Valley	5,358	10	13	15
Sevier	Elsinore	5,236	10	13	15
Sevier	Glenwood	5,348	10	13	15
Sevier	Joseph	5,344	10	13	15
Sevier	Koosharem	6,919	15	14	15
Sevier	Monroe	5,351	10	13	15
Sevier	Redmond	5,325	10	13	15
Sevier	Richfield	5,280	10	13	15
Sevier	Salina	5,246	10	13	15
Sevier	Sigurd	5,305	10	13	15
Summit	Coalville	5,567	10	13	15
Summit	Echo	5,546	10	13	15
Summit	Francis	6,560	15	14	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Summit	Henefer	5,318	10	13	15
Summit	Hoytsville	5,623	10	13	15
Summit	Kamas	6,427	15	14	15
Summit	Marion	6,421	15	14	15
Summit	Oakley	6,486	15	14	15
Summit	Park City	7,000	15	14	15
Summit	Peoa	6,381	15	14	15
Summit	Samak	6,720	15	14	15
Summit	Snyderville	6,370	15	14	15
Summit	Summit Park	7,120	15	14	15
Summit	Wanship	5,926	10	13	15
Tooele	Dugway	4,485	10	13	15
Tooele	Grantsville	4,293	10	13	15
Tooele	Ophir	6,496	15	14	15
Tooele	Rush Valley	5,046	10	13	15
Tooele	St. John	4,265	10	13	15
Tooele	Stockton	5,050	10	13	15
Tooele	Tooele	4,963	10	13	15
Tooele	Vernon	5,336	10	13	15
Tooele	Wendover	4,249	10	13	15
Uintah	Avalon	5,000	10	13	15
Uintah	Ballard	5,128	10	13	15
Uintah	Jensen	4,728	10	13	15
Uintah	Lapoint	5,335	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Uintah	Maeser	5,568	10	13	15
Uintah	Naples	5,125	10	13	15
Uintah	Tridell	5,636	10	13	15
Uintah	Vernal	5,328	10	13	15
Uintah	Whiterock	6,033	15	14	15
Utah	Alpine	4,560	10	13	15
Utah	American Fork	4,566	10	13	15
Utah	Cedar Fort	5,256	10	13	15
Utah	Cedar Hills	5,030	10	13	15
Utah	Eagle Mountain	4,809	10	13	15
Utah	Elk Ridge	5,436	10	13	15
Utah	Fairfield	4,954	10	13	15
Utah	Genola	4,597	10	13	15
Utah	Goshen	4,738	10	13	15
Utah	Highland	4,566	10	13	15
Utah	Lehi	4,597	10	13	15
Utah	Lindon	4,593	10	13	15
Utah	Mapleton	4,697	10	13	15
Utah	Orem	4,774	10	13	15
Utah	Payson	4,691	10	13	15
Utah	Pleasant Grove	4,593	10	13	15
Utah	Provo	4,551	10	13	15
Utah	Salem	4,663	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Utah	Santaquin	4,964	10	13	15
Utah	Saratoga Springs	4,505	10	13	15
Utah	Spanish Fork	4,735	10	13	15
Utah	Springville	4,602	10	13	15
Utah	Vineyard	4,505	10	13	15
Wasatch	Charleston	5,560	10	13	15
Wasatch	Daniel	5,600	10	13	15
Wasatch	Heber City	5,604	10	13	15
Wasatch	Hideout	6,020	15	14	15
Wasatch	Independence	5,700	10	13	15
Wasatch	Midway	5,584	10	13	15
Wasatch	Timber Lakes	7,979	15	14	15
Wasatch	Wallsburg	5,440	10	13	15
Washington	Apple Valley	4,783	10	13	15
Washington	Enterprise	5,627	10	13	15
Washington	Gunlock	3,658	10	13	15
Washington	Hildale	4,685	10	13	15
Washington	Hurricane	3,248	10	13	15
Washington	Twins	3,081	10	13	15
Washington	Alton Verkin	3,276	10	13	15
Washington	Alton	3,365	10	13	15
Washington	New Harmony	5,232	10	13	15
Washington	Rockville	3,609	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Washington	Santa Clara	2,762	5	12	15
Washington	Springdale	3,898	10	13	15
Washington	St. George	2,700	5	12	15
Washington	Torquerville	3,389	10	13	15
Washington	Virgin	3,606	10	13	15
Washington	Washington	2,881	5	12	15
Wayne	Bicknell	7,020	15	14	15
Wayne	Fremont	7,014	15	14	15
Wayne	Hanksville	4,288	10	13	15
Wayne	Loa	7,064	15	14	15
Wayne	Lyman	7,230	15	14	15
Wayne	Teasdale	7,140	15	14	15
Wayne	Torrey	6,830	15	14	15
Weber	Eden	4,941	10	13	15
Weber	Farr West	4,289	10	13	15
Weber	Harrisville	4,337	10	13	15
Weber	Hooper	4,219	10	13	15
Weber	Huntsville	4,928	10	13	15
Weber	Marriott-Slaterville	4,289	10	13	15
Weber	North Ogden	4,449	10	13	15
Weber	Ogden	4,302	10	13	15
Weber	Plain City	4,268	10	13	15
Weber	Pleasant View	4,356	10	13	15

County	Town	Elevation (feet)	Boiling water canner adjustment (minutes)	Pressure canner adjustment dial gauge (PSI)	Pressure canner adjustment weighted gauge (pounds)
Weber	Riverdale	4,318	10	13	15
Weber	Roy	4,531	10	13	15
Weber	South Ogden	4,497	10	13	15
Weber	Uintah	4,541	10	13	15
Weber	Washington Terrace	4,516	10	13	15
Weber	West Haven	4,289	10	13	15



March 2026
Utah State University Extension
Peer-reviewed fact sheet

[Download PDF](#)

Photo Credit

Cover photo sourced from Depositphotos.com

References

Andress, E. L., & Harrison, J. A. (2021). *So easy to preserve* (6th ed.). University of Georgia Extension.

Kingry, J., & Devine, L. (2024). *Ball complete book of home preserving*. Robert Rose.

Memmott, M., & Petersen, A. (2013). *Utah altitude chart by county*. Utah State University Extension.

National Center for Home Food Preservation. (2021). *Using and caring for your pressure canner*. University of Georgia. https://nchfp.uga.edu/papers/factsheets/Preserving_Food_Using_Pressure_Canners.pdf

United States Department of Agriculture. (2015). *Complete guide to home canning*. https://nchfp.uga.edu/publications/publications_usda.html

Authors

Margie Memmott and Ariel Petersen (2012)
Reviewed and revised by Callie Adams and Andrea Schmutz (2026)